# FISHERYPROGRESS.ORG Fishery Improvement Project Progress Tracking Database & Tools

# INACTIVE New England ocean perch - hook and line/otter trawl

#### Overview

#### **FIP Description**

Note: This FIP went inactive on July 17, 2019.

Ocean perch (Acadian redfish) is harvested from the Gulf of Maine and Georges Bank, where it is mainly caught with otter trawls and occasionally hook and line gear. Ocean perch are doing well in the New England area of the Atlantic Ocean, where estimates of abundance have been increasing in recent years. The stock was declared rebuilt in 2012.

The fishery is unique within the multispecies groundfish complex for several reasons. Vessel owners that elect to participate in sector-based management agree to additional controls, like weekly monitoring reports, to help catches stay within bounds during the fishing season. Vessels are accountable for any groundfish bycatch, including juvenile groundfish. To control for impacts across the species, all groundfish caught are counted against a vessel's or sector's allocation. Fishermen follow a number of strict regulations and use modified fishing gear to reduce bycatch of other species. For example, the mesh on trawl nets must be above a minimum size to reduce bycatch of juvenile redfish and non-target species.

The Fishery Improvement Project (FIP) was launched in February 2014 and the first activity was to complete a preliminary assessment of the fishery against the Marine Stewardship Council (MSC) standard. Three gaps were identified. One was the need for better gear selectivity for redfish capture, and was addressed by the REDNET program from 2014-2016. Two other gaps remain, concerning the distribution of juveniles and habitat in the region. Deep sea corals are believed to provide juvenile habitat and NOAA completed a multi-year research project on deep sea corals in 2013. The MSC pre-assessment was updated in early 2016 and new gaps will be addressed by the FIP in coming years.

#### How is this FIP Doing?

**Current Status:** 

7% 93%

Actions Progress This shows the proportion of actions in the workplan that the FIP has completed.

75%

**Actions Overview** This shows the proportion of actions that are behind schedule, on track, completed, or not yet started.

Behind	On Track	Complete	Future
25%	0%	75%	0%

#### FIP Objective(s)

To reach MSC certification by 2020.

#### **FIP Type**

Comprehensive

#### **FIP Stage**

Stage 3: FIP Implementation

#### **Start and Projected End Dates**

February, 2014 - December, 2020

#### **Species**


**Common Name** 

Acadian Redfish

**Scientific Name** 

Sebastes fasciatus

**Buying Guide Link Image** 



Acadian Redfish Buying Guide

#### **Gear Type**

Hook & Line

Otter Trawl

#### Location

#### **FAO Major Fishing Area**

Area 21 (Atlantic, Northwest)

#### **Exclusive Economic Zones**

Country

United States of America (the)

#### **Estimated Total FIP Landings**

9437 metric tons

### FIP Leads

**Organization Name** 

Pier Fish

**Organization Type** 

Industry

**Primary Contact** 

## Rich Barry **Email** richb@pierfish.com **Website Name** Pier Fish **Organization Name** Sustainability Incubator **Organization Type** Consultant **Primary Contact** Katrina Nakamura **Email** katrina@sustainability-incubator.com **Website Name** Sustainability Incubator **Organization Name** Pier Fish **Organization Type** Industry **Primary Contact** Scott Bode **Email**

© Fishery Progress. All Rights Reserved.

scottb@pierfish.com

 $\textbf{Source URL:} \underline{\textbf{https:}} \textit{/fisheryprogress.org/fip-profile/new-england-ocean-perch-hook-and-lineotter-trawl}$