Mexico Yucatan red and black grouper - longline

Overview

FIP Description

Red grouper and black grouper are two of the main target species for the mixed demersal fishery in the Bank of Campeche, located to the north of the Yucatan Peninsula in the Gulf of Mexico. This seasonal fishery is of high social importance, given that more than 10 thousand families depend on it for their livelihood.

Currently, the red grouper stock is below its limit reference point, and there is much to do to improve management strategies to effectively regulate fishing effort and catch levels so that the species may recover. This project aims at achieving a certifiable status against the MSC standard by collaborating with governmental and private stakeholders to develop and implement a consistent recovery strategy (complete with effective data collection, monitoring and control), and an adequate research plan to close information gaps on the fishery and its interaction with other ecosystem components.

For more information on improvement activities, please visit: CeDePesca's Mexican Grouper FIP Public report (updated quaterly).

How is this FIP Doing? Current Status: 25% 29% % of Indicators Tracked Basic FIPs may focus their workplans on a subset of the indicators. This shows the proportion of total indicators the FIP is working on. Actions Progress This shows the proportion of actions in the workplan that the FIP has completed.

Actions Overview This shows the proportion of actions that are behind schedule, on track, completed, or not yet started.

Behind	On Track	Complete	Future
13%	38%	50%	0%

Red Indicator Progress This shows the proportion of actions specifically addressing red indicators that are behind schedule, on track, completed, or not yet started. This helps users understand the progress the FIP is making on the biggest challenges in the fishery.

Behind	On Track	Complete	Future
0%	50%	50%	0%

FIP Progress Rating

A - Advanced Progress

FIP Objective(s)

- To have an adequate Management Plan adopted based on the best scientific information available by December 2026.
- To have a consistent recovery strategy adopted for the Mexican grouper stocks, including measures aimed at reducing fishing effort and setting catch quotas by December 2026.
- To help improve the fishing registry and the traceability of fishery production by December 2026
- To help define an adequate Research Plan that includes data collection on target and non-target species, and on the impact of the fishery on other ecosystem components by February 2020. [Completed]
- To help establish participatory mechanisms that allow fishery stakeholders to participate in both data collection activities and the assessment of the Management Plan's performance by December 2026.

FIP Type

Basic

FIP Stage

Stage 4: Improvements in Fishing Practices or Fishery Management

Start and Projected End Dates

April, 2014 -

December, 2026

Species




Black Grouper

Scientific Name

Mycteroperca bonaci

Buying Guide Link Image



Black Grouper

Buying Guide


Common Name

Red Grouper

Scientific Name

Epinephelus morio

Buying Guide Link Image



Red Grouper Buying Guide

Gear Type

Bottom Longline

Hook & Line

Location

FAO Major Fishing Area

Area 31 (Atlantic, Western Central)

Exclusive Economic Zones

Country

Mexico

Geographic Scope

Estimated Total FIP Landings

250 metric tons

FIP Leads

Organization Name

CeDePesca

Organization Type

NGO

Primary Contact

Minerva Alonso

Email

minerva.alonso@cedepesca.net

Phone

+529992423250

Website Name

Mexican grouper FIP

Organization Name

PESMAR

Organization Type

Industry

Primary Contact

Rudy Abad

Email

rudy@pesmar.com.mx

Phone

+529699353500

Website Name

http://www.pesmar.com.mx/

 $\textbf{Source URL:} \underline{\textbf{https:}} \\ \textit{/fisheryprogress.org/fip-profile/mexico-yucatan-red-and-black-grouper-longline} \\$